

ACKNOWLEDGEMENTS


USACE – New England District
Commonwealth of Massachusetts
- DMF, DEP, EOEA
USEPA
NMFS

OVERVIEW

- ECOSYSTEM SETTING
- TWO MITIGATION PROJECTS
 - NEED FOR MITIGATION
 - MONITORING EFFORTS
 - FINDINGS


RUMNEY MARSH

1900 1985





Rumney Marshes ACEC, Existing vs. Historic Wetlands



1967 1972






HIGHWAY EMBANKMENT 1990



Restoration Planning






ROUGHANS POINT PROJECT


 Series of dikes and seawalls placed along coastal areas for flood protection

 Loss of approximately 3 acres of intertidal flat



ROUGHANS POINT MITIGATION SITE

- To create elevations subject to intermittent tidal flooding at the project area
- To create substrate composition within the project area to levels of comparable surrounding habitats
- To establish self-sustaining softshell clam (*Mya arenaria*) populations to the newly created site




HIGHWAY EMBANKMENT 1990






PLANS AND SPECIFICATIONS




- Sides slopes: 1 vertical: 6 horizontal
- Upper edge of area: graded on a one percent slope

PLANS AND SPECIFICATIONS



Cobbles and boulders > 6 inches removed

• Intertidal flat constructed at an elevation of -3 ft NGVD





ROUGHANS POINT MITIGATION AREA




ROUGHANS POINT MITIGATION SITE

SEEDING

- ~ 30,000 hatchery-raised juvenile (8-15 mm) soft-shell clams (*Mya arenaria*)
- Three 3 m x 6 m plots within the lower intertidal zone
- Seeding on June 17, 1999
- A 6 mm mesh netting was placed over the seeded plots for a period of ~7 months





MONITORING



- •3 Areas
 - -Seeded
 - -Unseeded
 - -Reference


- Monitoring Efforts
 - September 1-2, 1999
 - October 19-20, 2000
 - September 11-12, 2001
 - September 17-18, 2002

MONITORING




- 5 randomly selected plots within each area
- 0.09 m² (1 ft²) quadrat was excavated to a depth of 60 cm (2 ft)
- Material passed through a 6 mm sieve
- All live shellfish retained: identified, counted, measured and weighed


Density of Soft-shelled Clams at Roughan's Point Mitigation Area



Mean Length of Soft-shell Clams at Roughans Point Mitigation Area



Mean Biomass of Soft-shell Clams at Roughan's Point Mitigation Area




ROUGHAN'S POINT MITIGATION SITE SUMMARY



- Increase in length and weight of *Mya* in the seeded areas
- New recruitment into the seeded and unseeded areas

SAUGUS RIVER PROJECT




SAUGUS RIVER NAVIGATION IMPROVEMENT PROJECT

NAVIGATION NEEDS

- Deeper Channel
- Larger Anchorage Area

ENVIRONMENTAL IMPACTS

- Loss of 3 acres of intertidal mud flat
- Disturbance of 30 acres of subtidal habitat




MITIGATION FOR SAUGUS RIVER NAVIGATION IMPROVEMENT

• Creation of 4.3 acres of

intertidal flat

• Creation of 1 acre of Spartina marsh




CROSS SECTION OF MITIGATION AREA

SAUGUS RIVER MITIGATION SITE



SAUGUS RIVER MITIGATION SITE SAMPLE LOCATIONS



BENTHIC COMMUNITY ANALYSIS, VEGETATION MONITORING, AND SHELLFISH MONITORING





SAUGUS RIVER MITIGATION AREA BENTHIC RESULTS

	2001	2002
High Intertidal	-LD (2)	-LD (3)
	-Oligochaetes	-Oligochaetes
Mid Intertidal	-MD (7)	-MD (6)
	-Capitellid/Spionid	-Spionid/Nereid
Low Intertidal	-MD (10)	-MD (7)
	-Capitellid/Spionid	-Capitellid/Nereid

SAUGUS RIVER MITIGATION AREA SHELLFISH RESULTS

Tran.	Mid	Low
1	Macoma	Macoma
2	-	Macoma
3	-	-
4	-	Macoma
5	-	-

Tran.	Mid	Low
1	-	Macoma
2	-	-
3	Macoma	Macoma
4	-	Macoma
5	Mya	Mya
	(26.5	(51 mm)
	mm)	

SAMPLE LOCATIONS



SAUGUS RIVER MITIGATION SITE

AUGUST 2002



SUMMARY



- Created intertidal habitat can provide the functions of natural intertidal habitat
- •Seeding of created intertidal habitats can "jumpstart" clam populations in the created habitat by providing stock for recruitment

FUTURE SHELLFISH PROJECTS



QUESTIONS?

